

HIGH SPEED STEEL BLANKS

AVAILABLE IN ANY DIAMETER .005" - 3.500"

GROUND TO .0002 TOLERANCE

LENGTH TO 78" TO SUIT YOUR REQUIREMENTS

The following standard size M2 High Speed Steel Blanks

Hardness Rockwell "C" 62-64 or M42 "C" 65-67

Available for immediate delivery from our plant.

Size	Decimal Equivalent	Length Overall Inches	M2 Net Price Each	M42 Net Price Each
1/64	.015625	1 1/2	3.40	4.85
1/32	.03125	1 1/2	2.10	2.95
3/64	.046875	1 3/4	1.80	2.60
1/16	.0625	1 7/8	1.70	2.52
5/64	.078125	2	1.75	2.60
3/32	.09375	2 1/4	1.80	2.75
7/64	.109375	2 3/4	1.85	2.85
1/8	.1250	2 3/4	1.90	3.00
9/64	.140625	3	2.30	3.40
5/32	.15625	3 1/4	2.30	3.43
11/64	.171875	3 1/4	2.32	3.50
3/16	.1875	3 1/2	2.55	3.95
13/64	.203125	3 5/8	3.05	4.65
7/32	.21875	3 3/4	3.40	5.15
15/64	.234375	3 7/8	3.70	5.65
1/4	.2500	4	3.97	6.15
17/64	.265625	4 1/8	4.45	6.95
9/32	.28125	4 1/4	4.80	7.50
19/64	.296875	4 3/8	5.20	8.25
5/16	.3125	4 1/2	5.70	8.95
21/64	.328125	4 5/8	6.20	9.65
11/32	.34375	4 3/4	6.81	10.61
23/64	.359375	4 7/8	7.31	11.60
3/8	.3750	5	8.10	13.05
25/64	.390625	5 1/8	8.95	13.95
13/32	.40625	5 1/4	9.80	15.35
27/64	.421875	5 3/8	10.90	17.00
7/16	.4375	5 1/2	11.65	18.15
29/64	.453125	5 5/8	12.95	19.25
15/32	.46875	5 3/4	13.60	20.15
31/64	.484375	5 7/8	15.80	21.70
1/2	.5000	6	17.35	23.25

Size	Decimal Equivalent	Length Overall Inches	M2 Net Price Each	M42 Net Price Each
A	.234	3 7/8	3.75	5.70
B	.238	4	3.75	5.70
C	.242	4	3.75	5.70
D	.246	4	3.95	6.15
E	.250	4	3.95	6.15
F	.257	4 1/8	4.45	6.95
G	.261	4 1/8	4.45	6.95
H	.266	4 1/8	4.45	6.95
I	.272	4 1/8	4.70	7.40
J	.277	4 1/4	4.80	7.50
K	.281	4 1/4	4.75	7.50
L	.290	4 1/4	4.90	7.65
M	.295	4 3/8	5.20	8.25
N	.302	4 3/8	5.20	8.25
O	.316	4 1/2	5.75	8.90
P	.323	4 5/8	6.20	9.65
Q	.332	4 3/4	6.23	9.65
R	.339	4 3/4	6.80	10.60
S	.348	4 7/8	7.35	11.60
T	.358	4 7/8	7.35	11.60
U	.368	5	8.15	13.05
V	.377	5	8.15	13.05
W	.386	5 1/8	8.70	13.70
X	.397	5 1/8	8.70	13.70
Y	.404	5 1/4	9.50	15.10
Z	.413	5 1/4	10.40	15.10

CHOICE OF TOLERANCE

+0.002 OR +0.000 OR +0.001
 -0.000 OR -0.002 OR -0.001

A NOTE TO REMEMBER

WE CAN GRIND BLANKS TO A .00005 TOLERANCE

SIZES 33/64" THRU 1"
M2 HSS BLANKS
M42 SUPER HSS BLANKS



Size	Decimal Equivalent	Length Overall Inches	M2 Net Price Each	M42 Net Price Each
33/64	.515625	6	18.85	28.30
		9	31.80	48.60
		12	42.45	64.95
17/32	.53125	6	19.45	29.05
		9	33.65	51.40
		12	44.20	67.55
35/64	.546875	6	20.65	29.95
		9	34.45	52.65
		12	45.80	69.95
9/16	.5625	6	21.85	31.70
		9	36.80	56.25
		12	47.90	73.20
37/64	.578125	6	23.00	33.15
		9	37.85	57.90
		12	56.40	77.85
19/32	.59375	6	24.25	35.35
		9	39.90	60.95
		12	59.25	81.60
39/64	.609375	6	25.60	36.80
		9	42.10	65.65
		12	58.95	86.50
5/8	.6250	6	27.00	39.20
		9	43.70	67.55
		12	60.35	89.55
41/64	.640625	6	28.40	40.45
		9	47.95	71.45
		12	62.95	90.30
21/32	.65625	6	29.55	41.70
		9	49.05	73.10
		12	64.40	95.80
43/64	.671875	6	31.00	44.00
		9	50.25	74.80
		12	66.85	99.50
11/16	.6875	6	32.40	45.20
		9	52.45	78.10
		12	69.40	103.30
45/64	.703125	6	34.45	46.70
		9	54.25	80.80
		12	72.50	108.00
23/32	.71875	6	35.65	49.15
		9	56.20	83.70
		12	74.90	111.50
47/64	.734375	6	36.85	50.45
		9	56.95	84.75
		12	76.45	113.85
3/4	.7500	6	38.78	54.25
		9	59.90	88.25
		12	77.85	114.70

Size	Decimal Equivalent	Length Overall Inches	M2 Net Price Each	M42 Net Price Each
49/64	.765625	6	39.85	55.85
		9	61.75	89.35
		12	81.35	117.65
25/32	.78125	6	41.60	58.20
		9	63.80	92.25
		12	96.35	119.95
51/64	.796875	6	43.30	57.70
		9	65.50	94.75
		12	86.40	124.10
13/16	.8125	6	45.55	63.80
		9	68.85	97.25
		12	91.65	128.25
53/64	.828125	6	46.50	62.25
		9	70.20	99.55
		12	93.45	130.75
27/32	.84375	6	48.40	67.80
		9	73.15	101.85
		12	97.35	135.50
55/64	.859375	6	50.15	67.75
		9	75.70	104.75
		12	100.80	138.45
7/8	.8750	6	52.15	69.95
		9	78.80	108.25
		12	104.90	142.00
57/64	.890625	6	54.50	72.50
		9	80.60	112.00
		12	110.45	151.15
29/32	.90625	6	55.65	74.00
		9	83.50	114.30
		12	112.65	154.15
59/64	.921875	6	57.95	77.10
		9	86.95	117.25
		12	115.80	158.50
15/16	.9375	6	59.50	79.10
		9	89.30	120.15
		12	118.85	161.25
61/64	.953125	6	61.45	81.75
		9	91.95	126.30
		12	122.95	165.40
31/32	.96875	6	63.75	83.35
		9	96.30	129.75
		12	128.20	169.75
63/64	.984375	6	67.25	89.45
		9	101.55	133.90
		12	135.20	180.10
1"	1.0000	6	68.40	91.00
		9	103.30	137.90
		12	137.50	185.85

CHOICE OF TOLERANCE $\begin{matrix} +.0002 \\ -.0000 \end{matrix}$ **OR** $\begin{matrix} +.0000 \\ -.0002 \end{matrix}$ **OR** $\begin{matrix} +.0001 \\ -.0001 \end{matrix}$

QUICK DELIVERY DIRECT FROM OUR PLANT

Wire Size	Decimal Equivalent	Length Overall Inches	M2 Net Price Each	M42 Net Price Each
1	.2280	3 7/8	3.40	5.10
2	.2210	3 7/8	3.40	5.10
3	.2130	3 3/4	3.40	5.10
4	.2090	3 3/4	3.40	5.10
5	.2055	3 3/4	3.40	5.10
6	.2040	3 3/4	3.00	4.55
7	.2010	3 5/8	3.00	4.55
8	.1990	3 5/8	3.00	4.55
9	.1960	3 5/8	3.00	4.55
10	.1935	3 5/8	3.00	4.55
11	.1910	3 1/2	2.65	4.05
12	.1890	3 1/2	2.65	4.05
13	.1850	3 1/2	2.55	3.95
14	.1820	3 1/2	2.55	3.95
15	.1800	3 1/2	2.55	3.95
16	.1770	3 3/8	2.32	3.55
17	.1730	3 3/8	2.32	3.55
18	.1695	3 1/4	2.32	3.55
19	.1660	3 1/4	2.25	3.40
20	.1610	3 1/4	2.25	3.40
21	.1590	3 1/4	2.25	3.40
22	.1570	3 1/4	2.25	3.40
23	.1540	3	2.25	3.40
24	.1520	3	2.25	3.40
25	.1495	3	2.25	3.40
26	.1470	3	2.00	3.00
27	.1440	3	2.00	3.00
28	.1405	3	2.00	3.00
29	.1360	3	2.00	3.00
30	.1285	2 3/4	2.00	3.00

Wire Size	Decimal Equivalent	Length Overall Inches	M2 Net Price Each	M42 Net Price Each
31	.1200	2 3/4	1.85	2.95
32	.1160	2 3/4	1.85	2.80
33	.1130	2 3/4	1.85	2.80
34	.1110	2 3/4	1.85	2.80
35	.1100	2 3/4	1.85	2.80
36	.1065	2 1/2	1.85	2.80
37	.1040	2 1/2	1.85	2.80
38	.1015	2 1/2	1.85	2.80
39	.0995	2 1/2	1.85	2.80
40	.0980	2 1/2	1.85	2.80
41	.0960	2 1/2	1.82	2.75
42	.0935	2 1/4	1.82	2.75
43	.0890	2 1/4	1.82	2.75
44	.0860	2 1/4	1.82	2.75
45	.0820	2 1/4	1.82	2.75
46	.0810	2 1/4	1.82	2.75
47	.0785	2	1.75	2.70
48	.0760	2	1.75	2.70
49	.0730	2	1.75	2.70
50	.0700	2	1.75	2.70
51	.0670	2	1.70	2.55
52	.0635	1 7/8	1.70	2.55
53	.0595	1 7/8	1.70	2.55
54	.0550	1 7/8	1.70	2.55
55	.0520	1 7/8	1.70	2.55
56	.0465	1 3/4	1.80	2.65
57	.0430	1 3/4	1.80	2.65
58	.0420	1 5/8	1.80	2.65
59	.0410	1 5/8	1.80	2.65
60	.0400	1 5/8	1.80	2.65

CHOICE OF TOLERANCE

+.0002 **OR** +.0000 **OR** +.0001
-.0000 **OR** -.0002 **OR** -.0001

No Minimum Order

QUICK DELIVERY DIRECT FROM OUR PLANT No Minimum Order

Wire Size	Decimal Equivalent	Length Overall Inches	M2 Net Price Each	M42 Net Price Each
61	.0390	1 1/2	2.05	2.80
62	.0380	1 1/2	2.05	2.80
63	.0370	1 1/2	2.05	2.80
64	.0360	1 1/2	2.05	2.80
65	.0350	1 1/2	2.30	3.20
66	.0330	1 1/2	2.30	3.20
67	.0320	1 1/2	2.30	3.20
1/32	.03125	1 1/2	2.10	2.95
68	.0310	1 1/2	2.30	3.20
69	.0292	1 1/2	2.50	3.30
70	.0280	1 1/2	2.50	3.30
71	.0260	1 1/2	2.50	3.30
72	.0250	1 1/2	2.95	4.10
73	.0240	1 1/2	2.95	4.10
74	.0225	1 1/2	2.95	4.10
75	.0210	1 1/2	2.95	4.10
76	.0200	1 1/2	3.65	5.05
77	.0180	1 1/2	3.65	5.05
78	.0160	1 1/2	3.65	5.05
1/64	.015625	1 1/2	3.40	4.85
79	.0145	1 1/2	3.65	5.05
80	.0135	1 1/2	3.65	5.05

Wire Size	Decimal Equivalent	Length Overall Inches	M2 Net Price Each	M42 Net Price Each
61	.0390	2	2.50	3.45
62	.0380	2	2.50	3.45
63	.0370	2	2.50	3.45
64	.0360	2	2.50	3.45
65	.0350	2	2.70	3.75
66	.0330	2	2.70	3.75
67	.0320	2	2.70	3.75
1/32	.03125	2	2.70	3.75
68	.0310	2	2.70	3.75
69	.0292	2	3.25	4.50
70	.0280	2	3.25	4.50
71	.0260	2	3.25	4.50
72	.0250	2	3.70	5.15
73	.0240	2	3.70	5.15
74	.0225	2	3.70	5.15
75	.0210	2	3.70	5.15
76	.0200	2	4.90	6.90
77	.0180	2	4.90	6.90
78	.0160	2	4.90	6.90
1/64	.015625	2	4.90	6.90
79	.0145	2	4.90	6.90
80	.0135	2	4.90	6.90

CHOICE OF TOLERANCE $\pm .0002$ **OR** $\pm .0000$ **OR** $\pm .0001$
 $-.0000$ $-.0002$ $-.0001$

QUANTITY DISCOUNTS

The following discounts apply to orders for standard M2 & M42 HSS blanks, that is, blanks of standard length and standard diameter only:

100 pieces of one size	5%
250 pieces of one size	10%
500 pieces of one size	15%
1000 pieces of one size	20%

METRIC BLANKS

.35 mm - 4.70 mm DIAMETER
M2 HIGH SPEED STEEL - ROCKWELL "C" 62-64
M42 HIGH SPEED STEEL - ROCKWELL "C" 65-67

Diameter mm	Length Overall mm	M2 Net Price Each	M42 Net Price Each
.35	38	4.55	6.50
.40	38	4.55	6.50
.45	38	4.55	6.50
.50	38	4.55	6.50
.55	38	3.70	5.25
.60	38	3.70	5.25
.65	38	3.70	5.25
.70	38	3.15	4.50
.75	38	3.15	4.50
.80	38	2.85	4.00
.85	38	2.85	4.00
.90	38	2.85	4.00
.95	38	2.60	3.60
1.00	38	2.60	3.60
1.05	41	2.40	3.45
1.10	44	2.40	3.45
1.15	44	2.40	3.45
1.20	48	2.40	3.45
1.25	48	2.40	3.45
1.30	48	2.30	3.30
1.35	48	2.30	3.30
1.40	48	2.30	3.30
1.45	48	2.30	3.30
1.50	48	2.30	3.30
1.55	48	2.30	3.30
1.60	48	2.30	3.30
1.65	51	2.30	3.30
1.70	51	2.30	3.30
1.75	51	2.10	3.15
1.80	51	2.10	3.15
1.85	51	2.10	3.15
1.90	51	2.10	3.15
1.95	51	2.10	3.15
2.00	51	2.10	3.25
2.05	57	2.10	3.25

Diameter mm	Length Overall mm	M2 Net Price Each	M42 Net Price Each
2.10	57	2.10	3.25
2.15	57	2.10	3.25
2.20	57	2.10	3.25
2.25	57	2.10	3.25
2.30	57	2.10	3.25
2.35	57	2.10	3.25
2.40	57	2.15	3.40
2.45	64	2.15	3.40
2.50	64	2.15	3.45
2.60	64	2.15	3.40
2.70	64	2.15	3.40
2.75	70	2.15	3.45
2.80	70	2.15	3.45
2.90	70	2.15	3.45
3.00	70	2.25	3.50
3.10	70	2.25	3.50
3.20	70	2.25	3.60
3.25	70	2.25	3.60
3.30	76	2.25	3.60
3.40	76	2.25	3.60
3.50	76	2.25	3.60
3.60	76	2.25	3.60
3.70	76	2.25	3.60
3.75	76	2.40	3.85
3.80	76	2.40	3.85
3.90	76	2.40	3.85
4.00	83	2.40	3.85
4.10	83	2.40	3.85
4.20	83	2.40	3.90
4.25	83	2.45	4.00
4.30	83	2.45	4.00
4.40	86	2.45	4.00
4.50	86	2.45	4.00
4.60	89	2.80	4.65
4.70	89	2.80	4.65

CHOICE OF TOLERANCE $+0.0051\text{mm}$ -0.0000mm **OR** $+0.0000\text{mm}$ -0.0051mm **OR** $+0.0025\text{mm}$ -0.0025mm

METRIC BLANKS AVAILABLE .13 mm - 89 mm DIAMETER
LENGTHS UP TO 1981 mm TO SUIT YOUR REQUIREMENTS

METRIC BLANKS

4.75 mm - 13.0 mm DIAMETER
M2 HIGH SPEED STEEL - ROCKWELL "C" 62-64
M42 HIGH SPEED STEEL - ROCKWELL "C" 65-67

Diameter mm	Length Overall mm	M2 Net Price Each	M42 Net Price Each
4.75	89	2.80	4.65
4.80	89	2.90	3.40
4.90	92	3.35	5.45
5.00	92	3.35	5.45
5.10	92	3.35	5.45
5.20	95	3.35	5.45
5.25	95	3.70	6.00
5.30	95	3.70	6.00
5.40	95	3.70	6.00
5.50	95	3.70	6.00
5.60	98	3.70	6.00
5.70	98	3.70	6.00
5.75	98	3.70	6.00
5.80	98	4.10	6.60
5.90	98	4.10	6.60
6.00	102	4.10	6.60
6.10	102	4.10	6.60
6.20	102	4.30	7.05
6.25	102	4.30	7.05
6.30	102	4.30	7.05
6.40	105	4.85	8.15
6.50	105	4.85	8.15
6.60	105	4.85	8.15
6.70	105	4.85	8.15
6.75	105	4.85	8.15
6.80	105	5.25	8.75
6.90	105	5.25	8.75
7.00	108	5.25	8.75
7.10	108	5.25	8.75
7.20	108	5.25	8.80
7.25	108	5.25	8.80
7.30	108	5.25	8.80
7.40	111	5.60	9.40
7.50	111	5.60	9.40
7.60	111	5.60	9.40

Diameter mm	Length Overall mm	M2 Net Price Each	M42 Net Price Each
7.70	114	6.30	10.45
7.75	114	6.30	10.45
7.80	114	6.30	10.45
7.90	114	6.30	10.45
8.00	114	6.30	10.45
8.10	117	6.75	11.30
8.20	117	6.75	11.30
8.25	117	6.75	11.30
8.30	117	6.75	11.30
8.40	121	6.75	11.30
8.50	121	7.45	12.45
8.60	121	7.45	12.45
8.70	121	8.05	13.55
8.75	124	8.05	13.55
8.80	124	8.05	13.55
8.90	124	8.05	13.55
9.00	124	8.05	13.55
9.10	124	8.05	13.55
9.20	127	8.65	14.85
9.25	127	8.65	14.85
9.30	127	8.65	14.85
9.40	127	8.70	14.90
9.50	127	8.70	14.90
9.60	130	9.40	16.20
9.70	130	9.40	16.20
9.75	130	9.60	16.25
9.80	130	9.60	16.25
9.90	130	9.60	16.25
10.00	130	9.60	16.25
10.50	133	10.42	17.85
11.00	140	12.40	20.55
11.50	142	14.65	22.00
12.00	149	15.85	23.20
12.50	152	19.20	25.75
13.00	152	21.45	32.55

CHOICE OF TOLERANCE +.0051mm - .0000mm **OR** +.0000mm - .0051mm **OR** +.0025mm - .0025mm

METRIC BLANKS AVAILABLE .13 mm - 89 mm DIAMETER
LENGTHS UP TO 1981 mm TO SUIT YOUR REQUIREMENTS

M-2 HIGH SPEED STEEL HARDENED & GROUND BLANKS

ALL HARDENED BLANKS ARE 62 – 64 R/C

36 INCH HARDENED & GROUND WIRE SIZE HSS LENGTHS TOLERANCE ± .0003

Wire Size	Decimal Equivalent	Price Each
61	.0390	25.60
62	.0380	25.60
63	.0370	25.60
64	.0360	25.60
65	.0350	25.95
66	.0330	25.95
67	.0320	25.95
68	.0310	26.20
69	.0292	26.20
70	.0280	26.20
71	.0260	26.90
72	.0250	26.90
73	.0240	26.90
74	.0225	27.60
75	.0210	27.60
76	.0200	27.60
77	.0180	28.15
78	.0160	28.15
79	.0145	28.75
80	.0135	28.75

36 INCH HSS LENGTHS TOLERANCE ± .001

Fractional Size	Decimal Equivalent	Annealed M2 High Speed Blanks	Hardened Ground
1/16	.0625	9.65	22.40
5/64	.078125	10.35	24.14
3/32	.09375	11.00	27.60
7/64	.109375	11.65	27.60
1/8	.1250	12.75	27.99
9/64	.140625	14.15	30.15
5/32	.15625	15.65	30.30
11/64	.171875	17.25	30.45
3/16	.1875	18.55	30.65
13/64	.203125	20.30	31.15
7/32	.21875	22.10	34.25
15/64	.234375	23.65	34.50
1/4	.2500	25.75	34.75
17/64	.265625	28.10	37.85
9/32	.28125	30.40	38.15
19/64	.296875	33.00	40.00
5/16	.3125	33.75	40.40
21/64	.328125	38.40	50.40
11/32	.343875	41.40	50.75
23/64	.359375	44.00	51.15
3/8	.3750	47.00	51.60
25/64	.390625	50.35	66.10
13/32	.40625	53.65	66.50
27/64	.421875	57.25	67.00
7/16	.4375	61.00	67.45
29/64	.453125	64.65	79.10
15/32	.46875	67.45	79.60
31/64	.484375	72.80	80.70
1/2	.5000	76.80	80.70
17/32	.53125	85.45	228.35
9/16	.5625	94.95	240.90
19/32	.59375	110.80	255.95
5/8	.6250	111.60	256.25
21/32	.65625	124.55	294.45
11/16	.6875	133.25	310.90
23/32	.71875	144.60	326.72
3/4	.7500	156.50	381.75
7/8	.8750	209.35	477.93
1	1.0000	270.25	498.14

24 INCH HARDENED & GROUND TOLERANCE ± .001

Fractional Size	Decimal Equivalent	Hardened Ground
17/32	.5312	132.00
9/16	.5625	152.20
5/8	.6250	158.70
11/16	.6875	191.70
23/32	.7188	202.00
3/4	.7500	213.20
13/16	.8125	241.15
7/8	.8750	247.95
1	1.0000	283.35
1-1/16	1.0620	362.94
1-1/8	1.1250	364.28
1-3/16	1.1870	493.45
1-1/4	1.2500	619.04
1-5/16	1.3125	740.68
1-3/8	1.3750	747.68
1-7/16	1.4375	799.07
1-1/2	1.5000	888.14

Additional sizes and tolerances available.

M42 HIGH SPEED STEEL HARDENED & GROUND BLANKS

36 INCH HSS LENGTHS TOLERANCE $\pm .001$

- **HARDENED**
- **TEMPERED**
- **PRECISION GROUND....**

Hardness: Rockwell C 65-67
DIAM.: TOLERANCE: $\pm .001$


24 INCH HARDENED & GROUND TOLERANCE $\pm .001$

Fractional Size	Decimal Equivalent	Price Each
9/16	.5625	270.96
5/8	.6250	317.52
11/16	.6875	367.68
3/4	.7500	404.16
13/16	.8125	448.22
7/8	.8750	490.20
1	1.0000	648.25
1-1/16	1.0620	767.94
1-1/8	1.1250	851.03
1-3/16	1.1875	875.25
1-1/4	1.2500	878.88
1-5/16	1.3125	887.03
1-3/8	1.3750	927.11
1-7/16	1.4375	956.99
1-1/2	1.5000	999.75

Fractional Size	Decimal Equivalent	Price Each
1/16	.0625	53.77
5/64	.078125	57.51
3/32	.09375	57.62
7/64	.109375	62.72
1/8	.1250	65.54
9/64	.140625	65.70
5/32	.15625	67.14
11/64	.171875	68.91
3/16	.1875	69.33
13/64	.203125	71.94
7/32	.21875	72.51
15/64	.234375	76.23
1/4	.2500	76.96
17/64	.265625	86.91
9/32	.28125	87.89
19/64	.296875	91.20
5/16	.3125	92.18
21/64	.328125	102.24
11/32	.343875	105.66
23/64	.359375	123.93
3/8	.3750	123.85
25/64	.390625	134.47
13/32	.40625	135.70
27/64	.421875	144.91
7/16	.4375	147.02
29/64	.453125	150.46
15/32	.46875	151.47
31/64	.484375	161.15
1/2	.5000	166.65

GAGE MEMBERS

**ALL GAGE MEMBERS ARE MADE OF M2 HIGH SPEED STEEL
HARDNESS ROCKWELL "C" 62-64**



**HSS GAGE MEMBER
DISCOUNTS
ASSORTED SIZES**

25 pieces - 5%
50 pieces - 10%
100 pieces - 25%

**YOUR CHOICE OF
THREE TOLERANCES**

+ .0002 + .0000 + .0001
- .0000 OR - .0002 OR - .0001

2" LONG HSS GAGE MEMBER PRICES

.0100 - .0200\$5.75	.3751 - .4375 7.83	.9376 - 1.000..... 19.75
.0201 - .03124.70	.4376 - .5000 7.99	1.0001 - 1.0625 25.00
.0313 - .06254.25	.5001 - .5625 9.88	1.0626 - 1.1250 27.90
.0626 - .09384.22	.5626 - .6250 10.63	1.1251 - 1.1875 30.26
.0939 - .1250 4.60	.6251 - .6875 11.90	1.1876 - 1.2500 32.92
.1251 - .1875 5.97	.6876 - .7500 12.93	1.2501 - 1.3125 35.34
.1876 - .2500 6.49	.7501 - .8125 14.55	1.3126 - 1.3750 38.71
.2501 - .3125 7.00	.8126 - .8750 15.78	1.3751 - 1.4375 42.95
.3126 - .3750 7.31	.8751 - .9375 18.54	1.4376 - 1.5010 47.31

50.8 MM LONG METRIC HSS GAGE MEMBER PRICES

.2540 - .5080 5.75	9.5275 - 11.1125 \$7.83	23.8150 - 25.4000..... 19.75
.5105 - .7925 4.70	11.1150 - 12.7000 7.99	25.4025 - 26.9875..... 25.00
.7950 - 1.5875 4.25	12.7025 - 14.2875..... 9.88	26.9900 - 28.5750..... 27.90
1.5900 - 2.3825 4.22	14.2900 - 15.8750 10.63	28.5775 - 30.1625..... 30.26
2.3850 - 3.1750 4.60	15.8775 - 17.4625 11.90	30.1650 - 31.7500..... 32.92
3.1775 - 4.7625 5.97	17.4650 - 19.0500 12.93	31.7525 - 33.3375..... 35.34
4.7650 - 6.3500 6.49	19.0525 - 20.6375 14.55	33.3400 - 34.9250..... 38.71
6.3525 - 7.9375 7.00	20.6400 - 22.2250 15.78	34.9275 - 36.5125..... 42.95
7.9400 - 9.5250 7.31	22.2275 - 23.8125 18.54	36.5150 - 38.1254..... 47.31

**OTHER SIZES AND MATERIALS AVAILABLE
CALL FOR PRICING!**

HANDLES FOR ABOVE MEMBERS UP TO 1" CAN BE SUPPLIED

411 Business Park Lane • Allentown, PA 18109 • 610-434-5740 • FAX 610-434-7301

Visit us @ www.drillblanks.com Send Inquiries to CGCSALES@PTD.NET